Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 262 (2003) 533–538
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 262

Abdelaziz, M., see Tawansi, A. 203
Abdelkader, H.I., see Tawansi, A. 203
Ahn, Y., see Choi, E.J. L198
Albanese, G., see Bonetti, E. 132
Albertini, F., see Casoli, F. 69
Allia, P., M. Coisson, V. Selvaggini, P. Tiberto and F. Vinai, Negative magnetoresistance in strongly frustrated ferromagnets with nanometric magnetic coherence 39
Allia, P., M. Coisson, V. Selvaggini, P. Tiberto and F. Vinai, Novel aspects of magnetoresistance in nanogranular magnetic systems 47
Allia, P., see Spizzo, F. 88
An, D.H., see Choi, E.J. L198
Angeli, E., see Vavassori, P. 52
Angeli, E., see Bisero, D. 84
Angeli, E., see Spizzo, F. 88
Angeli, E., see Bisero, D. 116
Angeli, E., see Vavassori, P. 120
Angeli, E., see Spizzo, F. 124
Anh, H.D., see Chau, N. 441
Antropov, V.P., The exchange coupling and spin waves in metallic magnets: removal of the long-wave approximation L192
Araki, S., see Settai, R. 399
Arnold, Z., J. Kamarád, Y. Skorokhod, N.M. Hong, N.P. Thuy and C.V. Thang, Pressure induced changes of magnetic phase transitions in RCo_4B compounds 382

Baek, K.S., see Choi, E.J. L198
Ballou, R., B. Canals, M. Elhajal, C. Lacroix and A.S. Wills, Models for ordering in the jarosites Kagomé systems 465
Baricco, M., see Bosco, E. 64
Baricco, M., E. Bosco, M. Coisson, P. Rizzi, V. Selvaggini and P. Tiberto, Magnetization and magnetotransport properties of $Cu_{60}Fe_{20}Ni_{20}$ systems exhibiting magnetic frustration on the nanometer scale 78
Baricco, M., see Bosco, E. 136
Barquín, L.F., see Calderón, R.G. 97
Bau, L.V., see Khiem, N.V. 490
Beeli, C., see Signoretti, S. 142
Bergenti, I., A. Deriu, L. Savini, E. Bonetti, F. Spizzo and H. Hoell, Small angle polarised neutron scattering investigation of magnetic nanoparticles 60
Bergenti, I., see Spizzo, F. 124
Bhattacharyya, N.S. and G.P. Srivastava, On the instability threshold of cobalt substituted Ni–Al ferrite at high-microwave-power levels 212
Bianco, L.D., see Signoretti, S. 142
Bisero, D., see Vavassori, P. 52
Bisero, D., E. Angeli, L. Pizzo, F. Spizzo, P. Vavassori and F. Ronconi, Transport properties and magnetic disorder/order transition in Fe_xAg_{100-x} films 84
Bisero, D., see Spizzo, F. 88
Bisero, D., E. Angeli, F. Spizzo, P. Vavassori and F. Ronconi, Coercive field vs. temperature in Fe/Ag nanogranular films 116
Bisero, D., see Vavassori, P. 120
Bisero, D., see Spizzo, F. 124
Blázquez, J.S., V. Franco, A. Conde and L.F. Kiss, Influence of Cu addition on the magnetic and magnetotransport properties of HITPERM-type alloys 170
Bobba, F., see De Santis, A. 150
Bolzoni, F., see Casoli, F. 69
Bonetti, E., see Savini, L. 56
Bonetti, E., see Bergenti, I. 60
Bonetti, E., see Del Bianco, L. 128
Bonetti, E., L. Savini, A. Deriu, G. Albanese and J. Moya, X-ray diffraction and Mössbauer spectroscopy of the core/shell iron/iron oxide system 132
Bonetti, E., see Signoretti, S. 142
Bontempi, E., see Casoli, F. 69
Bosco, E., P. Rizzi and M. Baricco, Rapid solidification of immiscible alloys 64
Bosco, E., see Coïsson, M. 73
Bosco, E., see Baricco, M. 78
Bosco, E., S. Enzo and M. Baricco, X-ray analysis of microstructure in Au–Fe melt spun alloys 136
Brandl, A.L., see Socolovsky, L.M. 102
Briones, F., see Hernando, A. 1
Brommer, P.E. and N.H. Duc, Magnetic properties of $Tb_{1-x}Y_x(Co_{0.85}Si_{0.15})_2$ compounds 472
Brommer, P.E., see Duong, N.P. 458
Brück, E., see Duong, N.P. 458
Buschow, K.H.J., see Duong, N.P. 458

0304-8853/03/$ - see front matter
PII: S0304-8853(03)00388-3

Cader, T., see Snyder, S.M. 269

Calderón, R.G., A. Yedra, A.G. Prieto, L.F. Barquín and M.L. Fdez-Gubieda, Relationship between the nanostructure of $Co_{15}Cu_{85}$ melt-spun alloys and the AC-susceptibility behaviour 97

Canals, B., see Ballou, R. 465

Cantelli, R., see Castellano, C. 154

Carman, G.P., see Wing Or, S. L181

Casoli, F., F. Albertini, F. Bolzoni, L. Pareti, G. Turilli, E. Bontempi, F. Spizzo and L.E. Depero, Investigation of magnetic and magnetotransport properties of Co-based multilayered granular films 69

Castellano, C., F. Cordero, R. Cantelli and M. Ferretti, Dynamics of the nanophase separation in manganites studied by anelastic spectroscopy 154

Cebollada, A., see Hernando, A. 1

Chanéac, C., see Tronc, E. 6

Chau, N., N.H. Luong, C.X. Huu, N.T. Thep and H.D. Anh, Influence of Ti and V substitution for Al on the properties of $Nd_{60}Fe_{30}Al_{10}$ alloys 441

Chau, N., see Luong, N.H. 479

Chen, X.Y., Q. Jiang, W.Z. Shen and C.G. Zhong, The properties of one-dimensional spin-S ($S \geqslant 1$) antiferromagnetic Ising chain with single-ion anisotropy 258

Chen, Y.Y., see Thuy, N.P. 432

Choi, E.J., Y. Ahn, S. Kim, D.H. An, K.U. Kang, B.-G. Lee, K.S. Baek and H.N. Oak, Superparamagnetic relaxation in $CoFe_2O_4$ nanoparticles L198

Coisson, M., see Allia, P. 39

Coisson, M., see Allia, P. 47

Coisson, M., see Savini, L. 56

Coisson, M., see Baricco, M. 78

Coisson, M., see Spizzo, F. 88

Conde, A., see Blázquez, J.S. 170

Cong, B.T., P.N.A. Huy and N.H. Long, The concentration dependence of the Curie temperature of the colossal magnetoresistance perovskite $La_{1-x}Ca_xMnO_3$ 437

Cordero, F., see Castellano, C. 154

Coïsson, M., V. Selvaggini and E. Bosco, Effect of field-induced magnetic ordering on the electrical resistance of the frustrated magnet $Au_{80}Co_{20}$ 73

Costa, B.V. and A.S.T. Pires, Phase diagrams of a two-dimensional Heisenberg antiferromagnet with single-ion anisotropy 316

Craciunescu, C., see Kishi, Y. L186

Cristiani, G., see De Santis, A. 150

Cucolo, A., see De Santis, A. 150

Dang, T.H., see Sam, D.T. 526

Da Re, A.D., see Spizzo, F. 124

De Biasi, E., C.A. Ramos and R.D. Zysler, Size and anisotropy determination by ferromagnetic resonance in dispersed magnetic nanoparticle systems 235

De Boer, F.R., see Duong, N.P. 458

De Julián Fernández, C., see D'Orazio, F. 111

Del Bianco, L., see Savini, L. 56

Del Bianco, L., D. Fiorani, A.M. Testa, E. Bonetti, L. Savini and S. Signoretti, Magnetic properties of the Fe/Fe oxide granular system 128

Dempsey, N.M., see Hai, N.H. 353

Denardin, J.C., M. Knobel, X.X. Zhang and A.B. Pakhomov, Giant Hall effect in superparamagnetic granular films 15

Denardin, J.C., see Socolovsky, L.M. 102

Depero, L.E., see Casoli, F. 69

Deriu, A., see Bergenti, I. 60

Deriu, A., see Spizzo, F. 124

Deriu, A., see Bonetti, E. 132

De Santis, A., F. Bobba, G. Cristiani, A. Cucolo, K. Frohlich, H.-U. Habermeier, M. Salvato and A. Vecchione, Structural and electrical characterization of magnetoresistive $La_{0.7}Ca_{0.3}MnO_3$ thin films 150

Ding, J., see Hong, L.V. 520

D'Orazio, F., F. Lucari, M. Melchiorri, C. de Julián Fernández, G. Mattei, P. Mazzoldi, C. Sangregorio, D. Gatteschi and D. Fiorani, Blocking temperature distribution in implanted Co–Ni nanoparticles obtained by magneto-optical measurements 111

D'Orazio, F., F. Lucari, S. Santucci, P. Picozzi, A. Verna, M. Passacantando, N. Pinto, L. Morresi, R. Gunnella and R. Murri, Magneto-optical properties of epitaxial Mn_xGe_{1-x} films 158

D'Orazio, F., see Tronc, E. 6

Dorien, C., see Fnidiki, A. 368

Duc, N.H., see Fnidiki, A. 368

Duc, N.H., see Huong Giang, D.T. 361

Duc, N.H., D.T.H. Giang, A. Fnidiki and J. Teillet, Nanostructure and magnetic properties of $Fe_{0.56}Cu_{0.44}$ films 420

Duc, N.H., see Brommer, P.E. 472

Duc, N.H., see Kim Anh, D.T. 427

Duc, N.H., see Le Breton, J.M. 452

Dung, N.D., see Luong, N.H. 479

Duong, N.P., J.C.P. Klaasse, E. Brück, P.E. Brommer, F.R. de Boer and K.H.J. Buschow, Magnetic phase diagram of $GdNi_2Ge_2$: a magnetisation and specific-heat study 458

Elhajal, M., see Ballou, R. 465

Enzo, S., see Bosco, E. 136

Fdez-Gubieda, M.L., see Meneghini, C. 92

Fdez-Gubieda, M.L., see Calderón, R.G. 97

Ferretti, M., see Castellano, C. 154

Finlayson, B.A., see Snyder, S.M. 269

Fiorani, D., see Del Bianco, L. 128

Fiorani, D., see D'Orazio, F. 111

Fiorani, D., see Tronc, E. 6

Fnidiki, A., C. Dorien, F. Richomme, J. Teillet, D. Lemarchand, N.H. Duc, J.B. Youssef and H. Le Gall, Magnetic study of nanocrystalline iron particles in alumina matrix 368

Fnidiki, A., see Duc, N.H. 420

Franco, V., see Blázquez, J.S. 170
Frohlich, K., see De Santis, A. 150
Fujimori, H., see Liu, Z. 308
Furuya, Y., see Kishi, Y. L186

Galvez, N., see Tronc, E. 6
Ganshina, E.A., see Kim, C.G. 412
García Prieto, A., see Meneghini, C. 92
Garg, K.B., see Hien, T.D. 508
Gatteschi, D., see D'Orazio, F. 111
Giang, D.T.H., see Duc, N.H. 420
Givord, D., see Hai, N.H. 353
Gondek, Ł., A. Szytuła, B. Penc, J. Hernandez-Velasco and A. Zygmunt, Magnetic structures of RTIn ($R = Ce, Er; T = Au, Ni$) compounds L177
Grenèche, J.M., see Tronc, E. 6
Guerrero, V.H., see Wetherhold, R.C. 218
Gunnella, R., see D'Orazio, F. 158

Habermeier, H.-U., see De Santis, A. 150
Haga, Y., see Settai, R. 399
Hai, N.H., N.M. Dempsey and D. Givord, Hard magnetic Fe–Pt alloys prepared by cold-deformation 353
Hang, B.T., see Tai, L.T. 485
Harima, H., see Nakada, K. 374
Hernandez-Velasco, J., see Gondek, Ł. L177
Hernando, A., A. Cebollada, J.L. Menéndez and F. Briones, Electronic transport in nanocrystalline iron: a low T magnetoresistance effect 1
Hien, N.T., see Thuy, N.P. 432
Hien, T.D., N.K. Man and K.B. Garg, Study of the influence of hole concentration on high-T_c superconductivity of cuprates Bi-2212 by X-ray photoelectron spectroscopy 508
Hien, T.D., see Tai, L.T. 485
Hien, V.T., see Le Breton, J.M. 452
Hiep, D.C., see Hong, L.V. 520
Ho, J.C., see Thuy, N.P. 432
Hoell, A., see Spizzo, F. 124
Hoell, H., see Bergenti, I. 60
Hoffmann, B. and W. Köhler, Reversible light-induced cluster formation of magnetic colloids 289
Hong, L.V., D.C. Hiep, N.X. Phuc, M. Kakihana and J. Ding, Peak effect in $NdBa_2Cu_3O_{7-\delta}$ superconductor and related Raman spectra 520
Hong, L.V., see Sam, D.T. 526
Hong, N.M., see Arnold, Z. 382
Huong Giang, D.T., N.H. Duc, F. Richomme and S. Schulze, Microstructure and magnetic studies of magnetostrictive Terfecohan/YFeCo multilayers 361
Hur, N.H., see Phan, M.-H. 407
Hütten, A., D. Sudfeld, K. Wojczykowski, P. Jutzi and G. Reiss, Giant magnetoresistance and magnetic aspects in granular structures 23
Huu, C.X., see Chau, N. 441
Huy, P.N.A., see Cong, B.T. 437

Inada, Y., see Settai, R. 399
Izumi, K., see Tachibana, T. 248

Jaśkiewicz, P., see Pękała, K. 146
Jiang, Q., see Chen, X.Y. 258
Jolivet, J.P., see Tronc, E. 6
Jutzi, P., see Hütten, A. 23

Kageyama, H., D.I. Khomskii, R.Z. Levitin, M.M. Markina, T. Okuyama, T. Uchimoto and A.N. Vasil'ev, Magnetization reversal in weak ferrimagnets and canted antiferromagnets 445
Kakihana, M., see Hong, L.V. 520
Kamarád, J., see Arnold, Z. 382
Kamruzzaman, M., I.Z. Rahman and M.A. Rahman, The coercivity dependence of giant magneto-impedance effect in Fe–Cu–Nb–Si–B based metallic alloy ribbon at different crystalline stages 162
Kamruzzaman, M., see Rahman, I.Z. 166
Kang, K.U., see Choi, E.J. L198
Kawano, S., see Tachibana, T. 248
Kechrakos, D. and K.N. Trohidou, Competition between dipolar and exchange interparticle interactions in magnetic nanoparticle films 107
Khiem, N.V., L.V. Bau, L.H. Son, N.X. Phuc and D.N.H. Nam, Influence of A-site cation size on the magnetic and transport properties of $(Nd_{1-y}Y_y)_{0.7}Sr_{0.3}MnO_3$ ($0 \leqslant y \leqslant 0.42$) 490
Khomskii, D.I., see Kageyama, H. 445
Kim Anh, D.T., N.P. Thuy, N.H. Duc, T.T. Nhien and N.V. Nong, Magnetism and magnetocaloric effect in $La_{1-y}Nd_y(Fe_{0.88}Si_{0.12})_{13}$ compounds 427
Kim, C.G., Y.W. Rheem, C.O. Kim, E.E. Shalyguina and E.A. Ganshina, Magnetostatic properties of heterogeneous Co-based amorphous/crystalline phases 412
Kim, C.O., see Kim, C.G. 412
Kim, S., see Choi, E.J. L198
Kindo, K., see Sugiyama, K. 389
Kishi, Y., C. Craciunescu, M. Sato, T. Okazaki, Y. Furuya and M. Wuttig, Microstructures and magnetic properties of rapidly solidified CoNiGa ferromagnetic shape memory alloys L186
Kiss, L.F., see Blázquez, J.S. 170
Kitakami, O., see Shimada, Y. 329
Klaasse, J.C.P., see Thuy, N.P. 432
Klaasse, J.C.P., see Duong, N.P. 458
Knobel, M., see Denardin, J.C. 15
Knobel, M., see Socolovsky, L.M. 102
Kobayashi, T.C., see Settai, R. 399
Köhler, W., see Hoffmann, B. 289
Kohmoto, O., Effective demagnetizing factors in ferromagnetic resonance equations 280
Kurisu, M., see Luong, N.H. 479

Lachowicz, H.K., K. Závěta and M. Maryško, Unusual nanogranular systems 32

Lacroix, C., see Ballou, R. 465
Lauter, H.J., see Spizzo, F. 124
Le Breton, J.M., N.H. Duc, V.T. Hien, N.P. Thuy and J. Teillet, A Mössbauer study of the spin reorientation transition in $DyFe_{11}Mo$ 452
Lee, B.-G., see Choi, E.J. L198
Le Gall, H., see Fnidiki, A. 368
Le Gall, H., see Spenato, D. 294
Lemarchand, D., see Fnidiki, A. 368
Levitin, R.Z., see Kageyama, H. 445
Lin, S.H., see Thuy, N.P. 432
Lin, T., D. Mauri and P.M. Rice, A tunneling magnetoresistance sensor overlaid with a longitudinal bias stack 346
Liu, Z., D. Shindo, S. Ohnuma and H. Fujimori, Nanogranular Co–Zr–O magnetic films studied by HRTEM and electron holography 308
Long, N.H., see Cong, B.T. 437
Lucari, F., see Tronc, E. 6
Lucari, F., see D'Orazio, F. 111
Lucari, F., see D'Orazio, F. 158
Luong, N.H., see Chau, N. 441
Luong, N.H., N. Chau, N.D. Dung, M. Kurisu and G. Nakamoto, Spin reorientation in $Er_{1-x}Y_xCo_{10}Mo_2$ and $ErCo_{10-y}Ni_yMo_2$ compounds 479

Mailly, D., see Tronc, E. 6
Man, N.K., see Hien, T.D. 508
Markina, M.M., see Kageyama, H. 445
Maryško, M., see Lachowicz, H.K. 32
Mattei, G., see D'Orazio, F. 111
Matteucci, G., see Signoretti, S. 142
Mauri, D., see Lin, T. 346
Mazzoldi, P., see D'Orazio, F. 111
Melchiorri, M., see D'Orazio, F. 111
Meneghini, C., A. García Prieto, M.L. Fdez-Gubieda and S. Mobilio, Time-resolved X-ray diffraction experiments during annealing of $Co_{15}Cu_{85}$ granular alloy 92
Menéndez, J.L., see Hernando, A. 1
Mitrović, N., Magnetoresistance of the $Fe_{72}Cu_1V_3Si_{16}B_8$ amorphous alloy annealed by direct current Joule heating 302
Miyazaki, T., see Shimada, Y. 329
Mobilio, S., see Meneghini, C. 92
Morresi, L., see D'Orazio, F. 158
Moses, A.J., see Tutkun, N. 230
Moya, J., see Bonetti, E. 132
Murri, R., see D'Orazio, F. 158

Nakada, K., H. Shimizu, H. Yamada and H. Harima, Magnetic properties and Fermi surface of YMn_2 374
Nakagawa, T., see Tachibana, T. 248
Nakamoto, G., see Luong, N.H. 479
Nakamura, N., see Sugiyama, K. 389
Nam, D.N.H., see Khiem, N.V. 490
Nersessian, N., see Wing Or, S. L181
Nguyen, T.P., see Thuy, N.P. 432
Nguyen-Manh, D. and G. Trambly de Laissardière, First-principle predictions of magnetic properties for a complex and strongly related to quasicrystalline phase: μ-Al_4Mn 496
Nhien, T.T., see Kim Anh, D.T. 427
Noguès, M., see Tronc, E. 6
Nong, N.V., see Kim Anh, D.T. 427
Nowiński, J.L., see Pękała, K. 146

Oak, H.N., see Choi, E.J. L198
Ohnuma, S., see Liu, Z. 308
Okamoto, S., see Shimada, Y. 329
Okazaki, T., see Kishi, Y. L186
Okuyama, T., see Kageyama, H. 445
Onuki, Y., see Settai, R. 399
Ōnuki, Y., see Sugiyama, K. 389
Oraby, A.H., see Tawansi, A. 203

Pakhomov, A.B., see Denardin, J.C. 15
Papusoi, C. and T. Suzuki, Study of grain interactions in longitudinal hard disk media 325
Pareti, L., see Casoli, F. 69
Pasquini, L., see Savini, L. 56
Pasquini, L., see Signoretti, S. 142
Passacantando, M., see D'Orazio, F. 158
Pękała, K., P. Jaśkiewicz, J.L. Nowiński and M. Pękała, Electrical resistivity of nanocrystals in Fe–Al–Ga–P–B–Si–Cu alloy 146
Pękała, M., see Pękała, K. 146
Penc, B., see Gondek, Ł. L177
Phan, M.-H., S.C. Yu and N.H. Hur, Magnetic and magnetocaloric properties of $(La_{1-x})_{0.8}Ca_{0.2}MnO_3$ ($x = 0.05, 0.20$) single crystals 407
Phuc, N.X., see Hong, L.V. 520
Phuc, N.X., see Khiem, N.V. 490
Picozzi, P., see D'Orazio, F. 158
Pinto, N., see D'Orazio, F. 158
Pires, A.S.T., see Costa, B.V. 316
Pizzo, L., see Bisero, D. 84
Pogossian, S.P., see Spenato, D. 294
Prieto, A.G., see Calderón, R.G. 97

Rahman, I.Z., K.M. Razeeb, M.A. Rahman and M. Kamruzzaman, Fabrication and characterization of nickel nanowires deposited on metal substrate 166
Rahman, I.Z., see Kamruzzaman, M. 162
Rahman, M.A., see Kamruzzaman, M. 162
Rahman, M.A., see Rahman, I.Z. 166
Ramos, C.A., see de Biasi, E. 235
Razeeb, K.M., see Rahman, I.Z. 166
Reiss, G., see Hütten, A. 23
Rheem, Y.W., see Kim, C.G. 412
Rice, P.M., see Lin, T. 346
Richomme, F., see Fnidiki, A. 368
Richomme, F., see Huong Giang, D.T. 361
Rizzi, P., see Baricco, M. 78

Rizzi, P., see Bosco, E. 64
Ronconi, F., see Bisero, D. 84
Ronconi, F., see Bisero, D. 116
Ronconi, F., see Spizzo, F. 88
Ronconi, F., see Spizzo, F. 124
Ronconi, F., see Vavassori, P. 52
Ronconi, F., see Vavassori, P. 120

Sakurai, T., see Shimada, Y. 329
Salvato, M., see De Santis, A. 150
Sam, D.T., N.M. Thuy, T.H. Dang and L.V. Hong, Electrical properties of superconducting Bi-2212 thick films 526
Sangregorio, C., see D'Orazio, F. 111
Sankar, S., Magnetoresistance sensitivity mapping of the localized response of contiguous and lead-overlaid sensors 339
Santucci, S., see D'Orazio, F. 158
Sato, M., see Kishi, Y. L186
Savini, L., E. Bonetti, L. Del Bianco, L. Pasquini, L. Signorini, M. Coisson and V. Selvaggini, Magneto-transport in core-shell Fe–Fe oxide nanostructures 56
Savini, L., see Bergenti, I. 60
Savini, L., see Bonetti, E. 132
Savini, L., see Del Bianco, L. 128
Schulze, S., see Huong Giang, D.T. 361
Selvaggini, V., see Allia, P. 39
Selvaggini, V., see Allia, P. 47
Selvaggini, V., see Baricco, M. 78
Selvaggini, V., see Coïsson, M. 73
Selvaggini, V., see Savini, L. 56
Selvaggini, V., see Spizzo, F. 88
Settai, R., S. Araki, H. Shishido, Y. Inada, Y. Haga, E. Yamamoto, T.C. Kobayashi, N. Tateiwa and Y. Onuki, De Haas–Van Alphen experiments under extreme conditions of low temperature, high field and high pressure, for high-quality cerium and uranium compounds 399
Settai, R., see Sugiyama, K. 389
Shalyguina, E.E., see Kim, C.G. 412
Shen, W.Z., see Chen, X.Y. 258
Shimada, K., Y. Wu and Y.C. Wong, Effect of magnetic cluster and magnetic field on polishing using magnetic compound fluid (MCF) 242
Shimada, T., see Tachibana, T. 248
Shimada, Y., T. Sakurai, T. Miyazaki, O. Kitakami and S. Okamoto, Fabrication of two-dimensional assembly of $L1_0$ FePt particles 329
Shimizu, H., see Nakada, K. 374
Shindo, D., see Liu, Z. 308
Shishido, H., see Settai, R. 399
Signoretti, S., see Del Bianco, L. 128
Signoretti, S., L.D. Bianco, L. Pasquini, G. Matteucci, C. Beeli and E. Bonetti, Electron holography of gas-phase condensed Fe nanoparticles 142
Signorini, L., see Savini, L. 56
Sinh, N.H. and N.P. Thuy, Some properties of La-deficient $La_{0.54}Ca_{0.32}MnO_{3-\delta}$ 502
Sinh, N.H., Properties of the Bi-surplus superconducting $Bi_{2.1-x}Pb_xSr_2Ca_2Cu_3O_y$ compounds 514
Skorokhod, Y., see Arnold, Z. 382
Snyder, S.M., T. Cader and B.A. Finlayson, Finite element model of magnetoconvection of a ferrofluid 269
Socolovsky, L.M., J.C. Denardin, A.L. Brandl, M. Knobel and X.X. Zhang, Structural and magnetic properties of TM–SiO_2 (TM = Fe, Co, Ni) films 102
Son, L.H., see Khiem, N.V. 490
Spenato, D., S.P. Pogossian and H. Le Gall, Asymmetric magnetization reversal in exchange-biased polycrystalline F/AF bilayers 294
Spizzo, F., see Vavassori, P. 52
Spizzo, F., see Bergenti, I. 60
Spizzo, F., see Casoli, F. 69
Spizzo, F., see Bisero, D. 84
Spizzo, F., E. Angeli, D. Bisero, F. Ronconi, P. Vavassori, P. Allia, V. Selvaggini, M. Coisson, P. Tiberto and F. Vinai, GMR as a function of temperature in FeAg granular samples: the effect of magnetic interactions 88
Spizzo, F., see Bisero, D. 116
Spizzo, F., see Vavassori, P. 120
Spizzo, F., E. Angeli, D. Bisero, A.D. Da Re, F. Ronconi, P. Vavassori, I. Bergenti, A. Deriu, A. Hoell and H.J. Lauter, SANS measurements with polarised neutrons on FeAg magnetic granular samples: compositional and magnetic morphology 124
Srivastava, G.P., see Bhattacharyya, N.S. 212
Sudfeld, D., see Hütten, A. 23
Sugiyama, K., T. Yamamoto, N. Nakamura, K. Kindo, R. Settai and Y. Ōnuki, Magnetism and high-field magnetization of RCu_2 389
Suzuki, T., see Papusoi, C. 325
Szytuła, A., see Gondek, Ł. L177

Tachibana, T., T. Nakagawa, Y. Takada, K. Izumi, T.A. Yamamoto, T. Shimada and S. Kawano, X-ray and neutron diffraction studies on iron-substituted Z-type hexagonal barium ferrite: $Ba_3Co_{2-x}Fe_{24+x}O_{41}$ ($x=0$–0.6) 248
Tai, L.T., B.T. Hang, N.P. Thuy and T.D. Hien, Magnetic properties of $LaNi_5$-based compounds 485
Tai, L.T., see Thuy, N.P. 432
Takada, Y., see Tachibana, T. 248
Tateiwa, N., see Settai, R. 399
Tawansi, A., A.H. Oraby, H.I. Abdelkader and M. Abdelaziz, $FeCl_3$–$CoCl_2$ mixed fillers effects on the structural, electrical and magnetic properties of PVDF films 203
Teillet, J., see Fnidiki, A. 368
Teillet, J., see Duc, N.H. 420
Teillet, J., see Le Breton, J.M. 452
Testa, A.M., see Tronc, E. 6
Testa, A.M., see Del Bianco, L. 128

Thang, C.V., see Arnold, Z. 382
Thang, P.D., see Thuy, N.P. 432
Thep, N.T., see Chau, N. 441
Thuy, N.M., see Sam, D.T. 526
Thuy, N.P., see Arnold, Z. 382
Thuy, N.P., see Kim Anh, D.T. 427
Thuy, N.P., see Le Breton, J.M. 452
Thuy, N.P., see Sinh, N.H. 502
Thuy, N.P., see Tai, L.T. 485
Thuy, N.P., Y.Y. Chen, Y.D. Yao, C.R. Wang, S.H. Lin, J.C. Ho, T.P. Nguyen, P.D. Thang, J.C.P. Klaasse, N.T. Hien and L.T. Tai, Crystallographic, magnetic and calorimetric studies of $Ho_5Si_2Ge_2$ 432
Tiberto, P., see Allia, P. 39
Tiberto, P., see Allia, P. 47
Tiberto, P., see Baricco, M. 78
Tiberto, P., see Spizzo, F. 88
Trambly de Laissardière, G., see Nguyen-Manh, D. 496
Trohidou, K.N., see Kechrakos, D. 107
Tronc, E., D. Fiorani, M. Noguès, A.M. Testa, F. Lucari, F. D'Orazio, J.M. Grenèche, W. Wernsdorfer, N. Galvez, C. Chanéac, D. Mailly and J.P. Jolivet, Surface effects in noninteracting and interacting γ-Fe_2O_3 nanoparticles 6
Turilli, G., see Casoli, F. 69
Tutkun, N. and A.J. Moses, Measurements of power loss distribution in a typical stator core under PWM voltage excitation 230

Uchimoto, T., see Kageyama, H. 445

Vasil'ev, A.N., see Kageyama, H. 445
Vavassori, P., E. Angeli, D. Bisero, F. Spizzo and F. Ronconi, Spin-dependent transport in granular films with mixed length-scale magnetic coherence 52
Vavassori, P., F. Spizzo, E. Angeli, D. Bisero and F. Ronconi, Evolution from multilayer to granular behavior via Cobalt layers fragmentation in Co/Cu multilayers 120
Vavassori, P., see Bisero, D. 84
Vavassori, P., see Bisero, D. 116
Vavassori, P., see Spizzo, F. 88
Vavassori, P., see Spizzo, F. 124
Vecchione, A., see De Santis, A. 150
Verna, A., see D'Orazio, F. 158
Vinai, F., see Allia, P. 39
Vinai, F., see Allia, P. 47
Vinai, F., see Spizzo, F. 88

Wang, C.R., see Thuy, N.P. 432
Wernsdorfer, W., see Tronc, E. 6
Wesselinowa, J.M., Dynamical properties of thin ferromagnetic semiconducting films 264
Wetherhold, R.C. and V.H. Guerrero, Effect of substrate anisotropy on magnetic state and stress state in magnetostrictive multilayers 218
Wills, A.S., see Ballou, R. 465
Wing Or S., N. Nersessian and G.P. Carman, Effect of combined magnetic bias and drive fields on dynamic magnetomechanical properties of Terfenol-D/epoxy 1–3 composites L181
Wojczykowski, K., see Hütten, A. 23
Wong, Y.C., see Shimada, K. 242
Wu, Y., see Shimada, K. 242
Wuttig, M., see Kishi, Y. L186

Yamada, H., see Nakada, K. 374
Yamamoto, E., see Settai, R. 399
Yamamoto, T., see Sugiyama, K. 389
Yamamoto, T.A., see Tachibana, T. 248
Yao, Y.D., see Thuy, N.P. 432
Yedra, A., see Calderón, R.G. 97
Youssef, J.B., see Fnidiki, A. 368
Yu, S.C., see Phan, M.-H. 407

Závěta, K., see Lachowicz, H.K. 32
Zhang, X.X., see Denardin, J.C. 15
Zhang, X.X., see Socolovsky, L.M. 102
Zhong, C.G., see Chen, X.Y. 258
Zygmunt, A., see Gondek, Ł. L177
Zysler, R.D., see de Biasi, E. 235

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 262 (2003) 539–541
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Subject index to volume 262

2D X-ray diffraction 69

3d-doping 508

Ab initio calculations 496
Acoustic properties 154
Aggregation 242, 289
Al–Mn quasicrystals 496
Amorphous 412
Amorphous films 218
Amorphous ribbon 162
Anisotropy 479
Antiferromagnetic coupling 412
Antiferromagnetic Ising chain 258
Antiferromagnetic ordering 432
Arrot plots 458
Au-based systems 64
Au–Fe 136

Band theory L192
Bi-2212 508
Blocking temperature 107
Bulk multilayers 353

Cation distribution 248
$CeRh_2Si_2$ 399
$CeRhIn_5$ 399
Chemical hydrogenation 485
Classical Monte Carlo 258
Cluster 242
CMR 437
Co-sputtering 84, 88, 116
Cobalt ferrite L198
Cobalt substitution 212
$CoCl_2$ 203
Coercive field 116
Coercivity 6, 32
Cold rolling 353
Colossal magnetoresistance 150
Compensation point 445
Co–Ni 111
Co–Zr–O thin film 308
Core–shell 132
Correlation length 39
Critical current density 526
Crystallization 162
Crystallization–amorphous systems 441
Crystallographic structure 432
Cu-based systems 64

Damping 264
DC current annealing 302
DC magnetic susceptibility 203
de Haas–van Alphen effect 399
Decomposition 23
dHvA frequency 374
Dipolar interactions 88
Discontinuous precipitation 136
Disordered magnetic systems 73
Disordered magnetism 128
DMS 158
Domain wall motion L181
Doping effects 490
Double-exchange interaction 490
DTA 203
$DyFe_{11}Mo$ 452
Dynamic magnetomechanical properties L181
Dzyaloshinsky–Moriya interactions 465

Effective demagnetizing factors 280
Electrical conduction 203
Electrical Resistivity 146
Electrical steels 230
Electrodeposition 166
Electron holography 142, 308
Entropy 407
Equivalent field 280
ESR 203
Exchange anisotropy 6
Exchange bias 128, 294
Exchange coupling L192

Fe L192
Fe/Fe oxide 128
FeAg granular systems 124
$FeCl_3$ 203
Fe–Ag granular samples 88
FePt 329
FePt magnets 353
Fermi surface 374
Ferrites 6
Ferrofluid 269, 289
Ferromagnetic resonance 235, 280
Ferromagnetic semiconductors 264
Ferromagnetic/antiferromagnetic coupling 346
Fe thin films 1
Field-induced magnetic phase transition 361
Fine particles 6
Frustrated ferromagnetic systems 78
Frustrated magnetic systems 39

Gd compounds 458
Giant Hall effect 15
Giant magnetoresistance 23, 52, 60, 84, 88, 120, 124
Giant magnetostrictive materials 218
GMR 1
Grain interactions 325
Granular alloys 92
Granular films 52, 84, 116, 120, 420
Granular media 325
Granular systems 15, 23
Green's functions 264

Hard magnetic materials 441, 479
Heat transfer 269
Heat treatment 514, 526
Heavy-fermions 399
Heusler alloy L186
Hexagonal 248
High pressure 399
High T_c superconductor 520, 526
High-field magnetization 389
High-T_c 508
High-T_C 514
HITPERM 170
$Ho_5Si_2Ge_2$ 432
Hole-concentration 508
Hume–Rothery alloys 496
Hysteresis 6, 107, 170, 472

Immiscible alloys 64
Instability threshold 212
Integrated generalized ΔM (IGDM) curves 325

0304-8853/03/$ - see front matter
PII: S0304-8853(03)00389-5

Intelligent fluid 242
Intermetallic compounds 382
Interparticle interactions 107
IR 203
Iron 56, 132, 142, 242
Iron oxide 56
Itinerant-electron metamagnetism 427

Jarosites compounds 465
Joule heating 78

Kagomé lattice 465
Kittel formula 280

La-deficient $La_{0.54}Ca_{0.32}MnO_{3-\delta}$, Magnetic-entropy change 502
Laves phase 472
Lead-overlay (LOL) 339
Local response 339
$Lu_5Si_2Ge_2$ 432

Maghemite 6
Magnetic and magnetocaloric behavior 407
Magnetic anisotropy 235, 382
Magnetic clusters 84
Magnetic coercivity 361, 420
Magnetic compound fluid (MCF) 242
Magnetic configuration 142
Magnetic domain 308
Magnetic field 242
Magnetic fluid 242
Magnetic frustration 73
Magnetic granular films 69
Magnetic interactions 32, 47
Magnetic losses 230
Magnetic measurements 230
Magnetic moment 496
Magnetic nanoparticles 15, 102, 107, 235
Magnetic nanowires 166
Magnetic permeability 170
Magnetic perovskite 437
Magnetic phase transitions 382
Magnetic plateau 258
Magnetic properties 485
Magnetic recording 346
Magnetic recording media 329
Magnetic relaxation 97
Magnetic resonance 235
Magnetic structure L177, 248, 432
Magnetic thin films 102
Magnetic transition 458
Magnetization L198, 441
Magnetization reversal 294, 445
Magneto-optical properties 52
Magneto-rheological Fluid 242
Magnetocaloric effect 427
Magnetoimpedance 170
Magnetoresistance 39, 47, 56, 73, 92, 302
Magnetoresistance sensitivity mapping (MSM) 339
Magnetostatic property 412
Magnetostriction 218
Magnetostrictive particulate composites L181
Manganites 150
Martensitic transformation L186
Melt-spinning L186
Melt-spun metallic ribbons 146
Metal hydrides 485
Metallic glasses 32
Metal–insulator transition 490
MI effect 162
Microstructure 361
Mictomagnetism 32
MnGe 158
MOKE 111, 158
Molecular-field calculation 458
Molecular-field model 472
Monte Carlo simulations 107, 316
Mössbauer spectra 368, 420
Mössbauer spectrometry 452
Mössbauer spectroscopy 132, L198
Multilayer 329
Multilayers 120

Nano-granular 308
Nanochannel alumina 166
Nanocrystal superlattices 23
Nanocrystalline alloys 170
Nanocrystalline materials 302
Nanocrystals 146
Nanogranular alloy 97
Nanogranular systems 32
Nanomagnetism 368
Nanoparticles 56, 60, 142, L198
Nanostructured magnetic materials 353
Natural convection 269
Nesting effect of Fermi surface 374
Neutron diffraction L177, 248
Ni L192
$Ni(HCOO)_2 \cdot 2H_2O$ 445
Ni–Al–Co ferrite 212
Non-collinear magnetic structure 361

Optical properties 289
Optical spectra 203
Ordered phase 329
Oxidation 502

Particles 329
Particles volume distribution 116
Perovskite manganites 407
Perpendicular magnetic anisotropy 69
Phase diagrams 316
Phase transformation L186
Phase transitions 154, 437
Polarised neutrons 124
Polishing 242
Polyvinylidene fluoride 203
Preisach models (GMPM) 325
Pressure dependence of Néel temperature 374
Pressure effect 382
Proximity magnetoresistance 78
Pulse width 339
PWM voltage 230

Quadrupole moment 389
Quantum critical point 399

Raman scattering 520
Random anisotropy 1
Rapid solidification 64, 136
Rare earth intermetallics L177
Rare earth—transition metal compounds 479
Rare earth—transition metal intermetallic compounds 427
Rare-earth alloys 441
Ratio Mn^{3+}/Mn^{4+} 502
RCu_2 389
Read-head 339
Reader 339
Resonance field 280
Role of Pb 514

Saturation moment 502
SAXS 102
Secondary peak effect 520
Side-reading 339
Single crystals 407
Single-ion anisotropy 258, 316
Small angle neutron scattering 60, 124
Smart fluid 242
Specific heat 432
Spin glasses 1, 154
Spin reorientation 452, 479
Spin waves L192
Spin-dependent electronic transport 15
Spin-glass like 490
Spin-ice model 465
Spin-wave energy 264
Spin-wave linewidth 212
Sputtering 120
Stator cores 230
Stoner criterion 496
Superconducting 508
Superconducting fraction 514
Superconductivity 508

Superconductors 514
Superparamagnetic relaxation 32, L198
Superparamagnetism 52, 69, 84, 88, 111, 116, 120, 235, 368
Surface crystalline phase 412
Surface magnetic anisotropy 420

$(Tb, Y)(Co, Si)_2$ 472
TEM 308
Terfenol-D L181
Thermal relaxation 132, 325
Thin films 150, 264
Thin magnetic films 294
Time resolved XRD 92
Transducers and actuators L181
Transmission electron microscopy L186
Tunneling magnetoresistance sensor 346
Tweed contrast L186
Twinning L186
Two-dimensional Heisenberg antiferromagnet 316

UGe_2 399
Uniaxial magnetic anisotropy 218

Volume fraction of the crystalline phase 302

Weak ferrimagnetism 445

X-ray diffraction 132, 136
XPS 508
XRD 203

YMn_2 374

Z-type 248